EVOLIGHT

CATALOGUE 2026

Premium LED luminaires for dental practices

An EVO-MED company — Designed in France



THE BRAND

A new way of lighting dental practices.

EVO-LIGHT designs architectural LED luminaires dedicated to dental practices, clinics and care spaces. Our conviction: the lighting of a treatment room is not an accessory — it is a working instrument the practitioner uses eight hours a day, and the first impression every patient receives.

Every luminaire is sized for the demands of dentistry — illuminance, colour rendering, glare control — and designed to elevate the architecture of the practice.

« The right light, serving the practitioner and the patient. »

CONTENTS

Our luminaire families

01 — EVO Media
5 models — p. 05

02 — Treatment luminaires
6 models — p. 16

03 — Architectural & technical pendants
5 models — p. 29

04 — Acoustic
3 models — p. 40

05 — RGB / DMX ambience
4 models — p. 47

— — Comparison, warranties & support
The 23 models at a glance — p. 56

QUICK GUIDE

How to choose your luminaire?

01 **Which room?**

Treatment room, reception, waiting room, sterilisation: each area has its own illuminance levels and colour temperature.

02 **What surface and ceiling height?**

Below 2.50 m: ultra-slim ceiling light. Above: a pendant centred over the chair.

03 **Integrated screen?**

For long procedures, paediatric dentistry and orthodontics, the ceiling screen relaxes the patient — EVO Media family.

04 **Acoustics?**

If reverberation tires the team, acoustic luminaires treat sound and light together.

05 **What budget?**

From €1,000 to €8,000 excl. VAT depending on the family — every project receives a precise quote within 48 h, lighting study included.

Not sure? Send us your room dimensions and a photo: free recommendation within 48 h — evo-light.fr



FAMILY 01

EVO Media

The ceiling screen that also provides the main lighting of your treatment room. A single object on the ceiling: dental-grade lighting and a screen in the line of sight of the reclined patient.

EVO Media 60	from 5 600 € excl. VAT
EVO Media 60 Ultra	from 6 400 € excl. VAT
EVO Media Square 60	from 4 900 € excl. VAT
EVO Media Square 60 Ultra	from 5 800 € excl. VAT
EVO Oval Media 90	from 4 600 € excl. VAT



FAMILY 01 — INTEGRATED SMART TV

EVO Media 60

The circular Ø120 cm ceiling screen that also provides the main lighting of your treatment room — integrated 32-inch screen.

INDICATIVE PRICE

from 5 600 € excl. VAT

Type	Circular LED pendant light with integrated 32-inch / 80 cm screen
Screen	Integrated 32-inch / 80 cm
Finishes	Black, white, silver, gold
Main dimensions	1 200 × 100 mm (120 × 10 cm)

EVO MEDIA 60

The circular Ø120 cm ceiling screen that also provides the main lighting of your treatment room — integrated 32-inch screen.

RECOMMENDED USES

- Treatment rooms and long procedures
- Paediatric dentistry and orthodontics
- Premium practices — new builds and refurbishments

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

2 years
Screen warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Circular LED pendant light with integrated 32-inch / 80 cm screen
Main dimensions	1 200 × 100 mm (120 × 10 cm)
Profile	6063 aluminium with opal diffuser
Profile section	60 × 80 mm
Power supply	AC100-277V / AC220-240V, 50/60Hz
LED	Philips SMD2835
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K / customisable per project
Luminous efficacy	100 lm/W
Power factor	> 0,95
SDCM	< 3



FAMILY 01 — INTEGRATED SMART TV

EVO Media 60 Ultra

The large-format Ø150 cm ceiling screen that also provides the main lighting of your treatment room — integrated 43-inch UHD 4K screen.

INDICATIVE PRICE

from 6 400 € excl. VAT

Type	Circular LED pendant light with integrated 43-inch / 108 cm UHD 4K Smart TV screen
Screen	Integrated 43-inch / 108 cm
Finishes	Black, white, silver, gold
Main dimensions	1 500 × 100 mm (150 × 10 cm)

The large-format Ø150 cm ceiling screen that also provides the main lighting of your treatment room — integrated 43-inch UHD 4K screen.

RECOMMENDED USES

- Treatment rooms and long procedures
- Paediatric dentistry and orthodontics
- Premium practices — new builds and refurbishments

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

2 years
Screen warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Circular LED pendant light with integrated 43-inch / 108 cm UHD 4K Smart TV screen
Main dimensions	1 500 × 100 mm (150 × 10 cm)
Mounting	4-point cable suspension
Profile	6063 aluminium with opal diffuser
Profile section	60 × 80 mm
Power supply	AC100-277V / AC220-240V, 50/60Hz
LED	Philips SMD2835
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K / customisable per project
Luminous efficacy	100 lm/W
Power factor	> 0,95



FAMILY 01 — INTEGRATED SMART TV

EVO Media Square 60

The square 60 cm ceiling screen that also provides the main lighting of your treatment room — integrated 32-inch screen.

INDICATIVE PRICE

from 4 900 € excl. VAT

Type	Square LED pendant light with integrated Smart TV
Screen	Integrated — 32-inch screen (80 cm)
Finishes	White, black, gold, silver
Main dimensions	960 × 660 mm (96 × 66 cm)

The square 60 cm ceiling screen that also provides the main lighting of your treatment room — integrated 32-inch screen.

RECOMMENDED USES

- Treatment rooms and long procedures
- Paediatric dentistry and orthodontics
- Premium practices — new builds and refurbishments

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

2 years
Screen warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Square LED pendant light with integrated Smart TV
Main dimensions	960 × 660 mm (96 × 66 cm)
Profile	6063 aluminium with opal diffuser
LED	SANAN SMD2835
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K, customisable per project
Beam angle	120°
Operation	Flicker-free
Control modes	ON/OFF, 0-10V, DALI, DALI DT6, DALI DT8, Triac
Finishes	White, black, gold, silver
Installation	Suspended, ceiling or recessed mounting — installation optional depending on project



FAMILY 01 — INTEGRATED SMART TV

EVO Media Square 60 Ultra

The square ceiling screen that also provides the main lighting of your treatment room — large integrated 43-inch screen.

INDICATIVE PRICE

from 5 800 € excl. VAT

Type	Square LED pendant light with integrated Smart TV
Screen	Integrated — 43-inch screen (108 cm)
Finishes	White, black, gold, silver
Main dimensions	1 190 × 780 mm (119 × 78 cm)

The square ceiling screen that also provides the main lighting of your treatment room — large integrated 43-inch screen.

RECOMMENDED USES

- Treatment rooms and long procedures
- Paediatric dentistry and orthodontics
- Premium practices — new builds and refurbishments

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

2 years
Screen warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Square LED pendant light with integrated Smart TV
Main dimensions	1 190 × 780 mm (119 × 78 cm)
Profile	6063 aluminium with opal diffuser
LED	SANAN SMD2835
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K, customisable per project
Beam angle	120°
Operation	Flicker-free
Control modes	ON/OFF, 0-10V, DALI, DALI DT6, DALI DT8, Triac
Finishes	White, black, gold, silver
Installation	Suspended, ceiling or recessed mounting — installation optional depending on project



FAMILY 01 — INTEGRATED SMART TV

EVO Oval Media 90

The oval ceiling screen that also provides the main lighting of your treatment room — 32-inch / 80 cm screen, direct lighting.

INDICATIVE PRICE

from 4 600 € excl. VAT

Type	Oval LED pendant light with integrated 32-inch / 80 cm Smart TV
Screen	Integrated 32-inch / 80 cm
Finishes	Black, white, silver, gold
Main dimensions	1 240 × 560 mm (124 × 56 cm)

EVO OVAL MEDIA 90

The oval ceiling screen that also provides the main lighting of your treatment room — 32-inch / 80 cm screen, direct lighting.

RECOMMENDED USES

- Treatment rooms and long procedures
- Paediatric dentistry and orthodontics
- Premium practices — new builds and refurbishments

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

2 years
Screen warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Oval LED pendant light with integrated 32-inch / 80 cm Smart TV
Main dimensions	1 240 × 560 mm (124 × 56 cm)
Profile	6063 aluminium with opal diffuser
LED	SANAN SMD2835
Drivers	Lifud / BOKE
Colour temperatures	3000K / 4000K / 6000K / 3000–6000K Tunable
Luminous efficacy	100 to 110 lm/W
CRI	> 80Ra
Power factor	PF > 0,90
UGR	< 19
Operation	Flicker-free



FAMILY 02

Treatment luminaires

The main lighting of the treatment room: 750 to 1,000 lux evenly across the working area, high CRI, controlled glare. The essential complement to the dental operating light.

EVO Signature	from 3 000 € excl. VAT
Moon EVO	from 1 500 € excl. VAT
EVO Ring	from 3 500 € excl. VAT
Hexa Ring	from 2 000 € excl. VAT
Hexa Disc	from 3 000 € excl. VAT
Hexa Curve	from 3 000 € excl. VAT



FAMILY 02 — TREATMENT ROOM

EVO Signature

Premium architectural oval LED pendant light for dental practice waiting rooms and receptions.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Oval LED pendant light
Finishes	Black, white, silver, gold

EVO SIGNATURE

Premium architectural oval LED pendant light for dental practice waiting rooms and receptions.

RECOMMENDED USES

- Main treatment room lighting
- Complement to the operating light (10:1 ratio)
- Practice lighting refurbishment

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Oval LED pendant light
Profile	6063 aluminium with opal diffuser
LED	SANAN SMD2835
Drivers	Lifud / BOKE
Colour temperatures	3000K / 4000K / 6000K / 3000–6000K customisable
Luminous efficacy	100 to 110 lm/W
CRI	> 80Ra
Power factor	PF > 0,90
UGR	< 19
Operation	Flicker-free
Beam angle	120°



FAMILY 02 — TREATMENT ROOM

Moon EVO

Circular LED pendant light with multiple light colours and customisable finishes.

INDICATIVE PRICE

from 1 500 € excl. VAT

Type	Circular LED pendant light
Finishes	White / black, customisation possible
Profile dimensions	W60 × H60 mm

MOON EVO

Circular LED pendant light with multiple light colours and customisable finishes.

RECOMMENDED USES

- Main treatment room lighting
- Complement to the operating light (10:1 ratio)
- Practice lighting refurbishment

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Circular LED pendant light
Profile	6063 aluminium with opal diffuser
Profile dimensions	W60 × H60 mm
Power supply	AC100-277V / AC220-240V, 50-60Hz
LED	SANAN SMD2835
Luminous efficacy	110 lm/W
Light colours	3000K / 4000K / 6000K / red / green / blue / yellow / pink / orange
CRI	80Ra
Power factor	0,95
Operation	Flicker-free
Available functions	Non-dimmable / 0-10V / Triac dimming / DALI dimming



FAMILY 02 — TREATMENT ROOM

EVO Ring

Architectural LED ring for dental practices, receptions and premium spaces — diameters Ø450 to 5060 mm.

INDICATIVE PRICE

from 3 500 € excl. VAT

Type	Circular LED pendant light
Finishes	Black, white, gold, silver
Main dimensions	1 200 × 100 mm (120 × 10 cm)

EVO RING

Architectural LED ring for dental practices, receptions and premium spaces — diameters Ø450 to 5060 mm.

RECOMMENDED USES

- Main treatment room lighting
- Complement to the operating light (10:1 ratio)
- Practice lighting refurbishment

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Circular LED pendant light
Main dimensions	1 200 × 100 mm (120 × 10 cm)
Design	Ring design with 6063 aluminium profile and opal diffuser
Profile dimensions	W60 × H80 mm
Power supply	AC100-277V / AC220-240V, 50/60Hz
LED	SANAN SMD2835
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K
CRI	80Ra
Power factor	0,95
Operation	Flicker-free



FAMILY 02 — TREATMENT ROOM

Hexa Ring

Hexagonal LED pendant light with an open design and architectural profile, for receptions, waiting rooms, offices and premium spaces.

INDICATIVE PRICE

from 2 000 € excl. VAT

Type	Hexagonal LED pendant light — open design with architectural profile
Finishes	Black, white, gold, silver
Profile dimensions	W60 × H80 mm

HEXA RING

Hexagonal LED pendant light with an open design and architectural profile, for receptions, waiting rooms, offices and premium spaces.

RECOMMENDED USES

- Main treatment room lighting
- Complement to the operating light (10:1 ratio)
- Practice lighting refurbishment


WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Hexagonal LED pendant light — open design with architectural profile
Profile	6063 aluminium with opal diffuser
Profile dimensions	W60 × H80 mm
Power supply	AC100-277V / AC220-240V, 50/60Hz
LED	SANAN SMD2835
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K / 3000–6000K customisable
CRI	80Ra
Power factor	0,95
Operation	Flicker-free
Beam angle	120°



FAMILY 02 — TREATMENT ROOM

Hexa Disc

Solid hexagonal LED pendant light for receptions, waiting rooms, offices, corridors and premium spaces.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Solid hexagonal LED pendant light
Finishes	Black, white, silver
Available diameters	Φ400 / Φ500 / Φ600 / Φ800 / Φ900 / Φ1000 / Φ1200 mm

HEXA DISC

Solid hexagonal LED pendant light for receptions, waiting rooms, offices, corridors and premium spaces.

RECOMMENDED USES

- Main treatment room lighting
- Complement to the operating light (10:1 ratio)
- Practice lighting refurbishment

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Solid hexagonal LED pendant light
Profile	6063 aluminium with opal diffuser
Power supply	AC100-277V / AC220-240V, 50/60Hz
LED	SMD2835
Drivers	Cupower (AC100-277V) / BOKE (AC220-240V)
Colour temperatures	3000K / 4000K / 6000K / customisable
Luminous efficacy	100 to 110 lm/W
CRI	82
Power factor	0,95
Operation	Flicker-free
Beam angle	120°



FAMILY 02 — TREATMENT ROOM

Hexa Curve

Hexagonal LED pendant light with rounded form for receptions, waiting rooms, offices and premium care spaces.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Hexagonal LED pendant light with rounded form
Finishes	Black, white
Available diameters	Φ400 / Φ600 / Φ800 / Φ900 / Φ1000 / Φ1200 mm

HEXA CURVE

Hexagonal LED pendant light with rounded form for receptions, waiting rooms, offices and premium care spaces.

RECOMMENDED USES

- Main treatment room lighting
- Complement to the operating light (10:1 ratio)
- Practice lighting refurbishment

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Hexagonal LED pendant light with rounded form
Profile	6063 aluminium with opal diffuser
Power supply	AC100-277V / AC220-240V, 50-60Hz
LED	SANAN SMD2835
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K / customisable
Luminous efficacy	100 to 110 lm/W
CRI	80Ra
Power factor	0,90
Operation	Flicker-free
Beam angle	120°



FAMILY 03

Architectural & technical pendants

Receptions, circulation areas, statement spaces and technical zones: pieces that shape the visual identity of the practice, from the ultra-slim ceiling light to the architectural statement piece.

EVO Slim	from 1 200 € excl. VAT
EVO Indirect	from 3 000 € excl. VAT
Frame Curve	from 8 000 € excl. VAT
Flex EVO 360	from 3 000 € excl. VAT
Linea Shield	from 1 000 € excl. VAT



FAMILY 03 — PREMIUM SPACES

EVO Slim

Ultra-slim circular LED ceiling light for medical and dental practices — even lighting with high CRI.

INDICATIVE PRICE

from 1 200 € excl. VAT

Type	Ultra-slim circular LED ceiling light
Finishes	Black, white, silver
Available diameters	Ø300 / Ø400 / Ø500 / Ø600 / Ø780 / Ø1000 / Ø1200 mm

EVO SLIM

Ultra-slim circular LED ceiling light for medical and dental practices — even lighting with high CRI.

RECOMMENDED USES

- Receptions and premium spaces
- Clinic interior architecture
- Technical and sterilisation areas

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Ultra-slim circular LED ceiling light
Profile	6063 aluminium with opal diffuser
Power supply	AC100-277V / AC220-240V, 50/60Hz
LED	Philips SMD2835
Drivers	BOKE / LIFUD
Colour temperatures	3000K / 4000K / 6000K
CRI	90Ra
Power factor	0,95
SDCM	< 3
Beam angle	120°
Available functions	ON/OFF / 0-10V / DALI dimming



FAMILY 03 — PREMIUM SPACES

EVO Indirect

Indirect-lighting LED pendant for dental practice receptions, waiting rooms and offices.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Circular LED pendant light with indirect lighting
Finishes	Black, white, gold, silver
Profile dimensions	W31 × H50 mm

EVO INDIRECT

Indirect-lighting LED pendant for dental practice receptions, waiting rooms and offices.

RECOMMENDED USES

- Receptions and premium spaces
- Clinic interior architecture
- Technical and sterilisation areas

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Circular LED pendant light with indirect lighting
Profile	6063 aluminium with opal diffuser
Profile dimensions	W31 × H50 mm
Power supply	AC100-277V / AC220-240V, 50/60Hz
LED	SANAN SMD2835
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K / 3000–6000K customisable
CRI	> 80Ra
Power factor	0,95
Operation	Flicker-free
Beam angle	120°



FAMILY 03 — PREMIUM SPACES

Frame Curve

Rectangular LED pendant light with softened corners for receptions, waiting rooms, offices and premium care spaces.

INDICATIVE PRICE

from 8 000 € excl. VAT

Type	Rectangular LED pendant light with softened corners
Finishes	Black, white, gold, silver
Profile dimensions	W60 × H80 mm

FRAME CURVE

Rectangular LED pendant light with softened corners for receptions, waiting rooms, offices and premium care spaces.

RECOMMENDED USES

- Receptions and premium spaces
- Clinic interior architecture
- Technical and sterilisation areas

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Rectangular LED pendant light with softened corners
Profile	6063 aluminium with opal diffuser
Profile dimensions	W60 × H80 mm
Power supply	AC100-277V / AC220-240V, 50/60Hz
LED	SANAN SMD2835
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K / 3000–6000K customisable
CRI	> 80Ra
Power factor	0,95
Operation	Flicker-free
Beam angle	120°



FAMILY 03 — PREMIUM SPACES

Flex EVO 360

Flexible cylindrical LED luminaire with 360° light emission for receptions, corridors, waiting rooms and contemporary spaces.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Flexible cylindrical LED luminaire with 360° light emission
Diameter	Ø22 mm

FLEX EVO 360

Flexible cylindrical LED luminaire with 360º light emission for receptions, corridors, waiting rooms and contemporary spaces.

RECOMMENDED USES

- Receptions and premium spaces
- Clinic interior architecture
- Technical and sterilisation areas


WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Flexible cylindrical LED luminaire with 360° light emission
Profile	6063 aluminium with silicone finish
Power supply	AC110-120V / AC220-240V, 50-60Hz
Beam angle	360°
Diameter	Ø22 mm
Available lengths	2 m / 3 m / 4 m / 5 m / 6 m / 8 m / 10 m
Power ratings	40W / 60W / 80W / 100W / 120W / 160W / 200W
LED	Epistar
Emission colours	2700K / 3000K / 4000K / 6000K / red / green / blue / pink / purple / RGB
Luminous efficacy	100 to 110 lm/W
Power factor	0,90



Linea Shield — schéma indicatif

FAMILY 03 — PREMIUM SPACES

Linea Shield

IP65 / IK10 waterproof LED batten for technical and demanding environments.

INDICATIVE PRICE

from 1 000 € excl. VAT

Type	Waterproof LED batten for technical and demanding environments

LINEA SHIELD

IP65 / IK10 waterproof LED batten for technical and demanding environments.

RECOMMENDED USES

- Sterilisation and technical areas
- Rooms requiring IP65 / IK10
- Storage and service circulation areas

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Waterproof LED batten for technical and demanding environments
Profile	6063 aluminium with PC diffuser / optic
Power supply	AC100-277V, 50/60Hz
LED	Epistar SMD2835
Driver	MeanWell
Available power ratings	50W / 80W / 100W / 150W / 200W
Available lengths	600 mm / 900 mm / 1200 mm / 1500 mm
Colour temperatures	3000K / 4000K / 5000K / 6000K
Luminous efficacy	140 lm/W (depending on configuration)
CRI	80
Power factor	0,95



FAMILY 04

Acoustic

Treat noise and light in a single gesture: luminaires with sound-absorbing panels that calm the acoustic environment of the practice while providing precise lighting.

EVO Acoustic	from 1 000 € excl. VAT
EVO Cone	from 3 000 € excl. VAT
EVO Dual Acoustic	from 3 000 € excl. VAT

ACOUSTIC



FAMILY 04 — LIGHT & SILENCE

EVO Acoustic

Acoustic LED pendant light with felt panel — a dental luminaire for the acoustic comfort of the practice.

INDICATIVE PRICE

from 1 000 € excl. VAT

Type	Acoustic LED pendant light
Profile dimensions	L50 × H75 mm

Acoustic LED pendant light with felt panel — a dental luminaire for the acoustic comfort of the practice.

RECOMMENDED USES

- Treatment rooms and turbine noise
- Calmer waiting rooms
- Open-plan clinics

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Acoustic LED pendant light
Power supply	AC100-277V / AC220-240V, 50-60Hz
Profile	6063 aluminium with prismatic diffuser and felt acoustic panel
Profile dimensions	L50 × H75 mm
Available heights	102 mm / 254 mm / 381 mm
Available diameters	Ø474 mm / Ø674 mm / Ø804 mm / Ø924 mm / Ø1074 mm / Ø1224 mm
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K
Luminous efficacy	100 to 110 lm/W
Anti-glare	Yes
CRI	> 80Ra

ACOUSTIC



FAMILY 04 — LIGHT & SILENCE

EVO Cone

Circular acoustic LED pendant light for receptions, waiting rooms, offices and contemporary environments.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Circular acoustic LED pendant light
Available diameters	Ø560 / Ø760 / Ø960 / Ø1260 / Ø1560 mm

EVO CONE

Circular acoustic LED pendant light for receptions, waiting rooms, offices and contemporary environments.

RECOMMENDED USES

- Treatment rooms and turbine noise
- Calmer waiting rooms
- Open-plan clinics

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Circular acoustic LED pendant light
Profile	6063 aluminium with lens and felt acoustic panel
Power supply	AC100-277V / AC220-240V, 50-60Hz
LED	SMD2835
Drivers	BOKE / LIFUD
Colour temperatures	3000K / 4000K / 6000K
Luminous efficacy	100 to 110 lm/W
CRI	90Ra
Power factor	0,90
Operation	Flicker-free
Beam angle	120°

ACOUSTIC



FAMILY 04 — LIGHT & SILENCE

EVO Dual Acoustic

Circular acoustic LED pendant light with dual light emission, inner and outer.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Circular acoustic LED pendant light — inner and outer light emission
Profile dimensions	W50 × H50 mm

EVO DUAL ACOUSTIC

Circular acoustic LED pendant light with dual light emission, inner and outer.

RECOMMENDED USES

- Treatment rooms and turbine noise
- Calmer waiting rooms
- Open-plan clinics

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Circular acoustic LED pendant light — inner and outer light emission
Profile	6063 aluminium with prismatic diffuser and felt acoustic panel
Profile dimensions	W50 × H50 mm
Power supply	AC100-277V / AC220-240V, 50-60Hz
Drivers	BOKE / Cupower
Colour temperatures	3000K / 4000K / 6000K
Luminous efficacy	100 to 110 lm/W
Anti-glare	Yes
CRI	80Ra
Power factor	0,90
Operation	Flicker-free



FAMILY 05

RGB / DMX ambience

Colour, scenes and identity: scenographic luminaires for receptions, indoor signage and clinics that want to make a lasting impression.

Aura Disc RGB	from 3 000 € excl. VAT
Aura DMX Ring	from 3 000 € excl. VAT
Aura RGB	from 3 000 € excl. VAT
Tria RGB	from 3 000 € excl. VAT



FAMILY 05 — SCENOGRAPHY

Aura Disc RGB

Decorative circular LED pendant light with integrated RGB control for scenographic ambiences.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Decorative circular LED pendant light with integrated RGB control
Available diameters	Ø450 / Ø600 / Ø800 / Ø900 / Ø1000 / Ø1200 mm

AURA DISC RGB

Decorative circular LED pendant light with integrated RGB control for scenographic ambiences.

RECOMMENDED USES

- Reception ambiences
- Scenography and brand identity
- High-end clinics

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Decorative circular LED pendant light with integrated RGB control
Power supply	AC110V / AC220V, 50-60Hz
Operating voltage	DC24V
Driver	Mean Well
LED	Epistar SMD5050
Control	RGB included, remote control included
Emission colour	RGB
Light effects	Color Change / Flash / Fade / Automatic
Materials	Aluminium profile and opal diffuser
Body finish	Black or white
Power factor	0,95



FAMILY 05 — SCENOGRAPHY

Aura DMX Ring

Circular RGBW LED pendant light with DMX512 control for halls, lobbies, conference rooms and showrooms.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Circular LED pendant light with DMX512 control
Finishes	Black or white
Profile dimensions	W60 × H80 mm

AURA DMX RING

Circular RGBW LED pendant light with DMX512 control for halls, lobbies, conference rooms and showrooms.

RECOMMENDED USES

- Reception ambiences
- Scenography and brand identity
- High-end clinics

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Circular LED pendant light with DMX512 control
Light emission	RGBW
Profile	6063 aluminium with opal diffuser
Profile dimensions	W60 × H80 mm
Power supply	AC100-277V / AC220-240V, 50/60Hz
LED	Epistar SMD5050
Driver	Mean Well
CRI	> 80Ra
Power factor	0,95
Operation	Flicker-free
Beam angle	120°



FAMILY 05 — SCENOGRAPHY

Aura RGB

Decorative LED pendant light with integrated RGB control for receptions, waiting rooms, hotels and premium spaces.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Decorative LED pendant light with integrated RGB control

AURA RGB

Decorative LED pendant light with integrated RGB control for receptions, waiting rooms, hotels and premium spaces.

RECOMMENDED USES

- Reception ambiences
- Scenography and brand identity
- High-end clinics

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Decorative LED pendant light with integrated RGB control
Power supply	AC110V / AC220V, 50-60Hz
Operating voltage	DC24V
Driver	Mean Well
LED	Epistar SMD5050
Control	RGB included, remote control included
Light emission options	RGB / RGB + 3000K / RGB + 6000K
Dimmable	Yes
Light effects	Color Change / Flash / Fade / Automatic
Body finish	Black or white
Power factor	0,95



FAMILY 05 — SCENOGRAPHY

Tria RGB

Triangular LED pendant light with integrated RGB control for spaces with a strong visual identity.

INDICATIVE PRICE

from 3 000 € excl. VAT

Type	Triangular LED pendant light with integrated RGB control
Available dimensions	450 × 450 / 600 × 600 / 800 × 800 / 1000 × 1000 / 1200 × 1200 mm

TRIA RGB

Triangular LED pendant light with integrated RGB control for spaces with a strong visual identity.

RECOMMENDED USES

- Reception ambiences
- Scenography and brand identity
- High-end clinics

WARRANTIES & INSTALLATION

5 years
Luminaire warranty

Option
Installation by our partners

TECHNICAL SPECIFICATIONS

Type	Triangular LED pendant light with integrated RGB control
Power supply	AC110V / AC220V, 50-60Hz
Operating voltage	DC24V
Driver	Mean Well
LED	Epistar SMD5050
Control	RGB included, remote control included
Emission colour	RGB
Light effects	Color Change / Flash / Fade / Automatic
Materials	Aluminium profile and opal diffuser
Body finish	Black or white
Power factor	0,95

OVERVIEW

The 23 models at a glance

MODEL	FAMILY	SCREEN	PRICE FROM (EXCL. VAT)
EVO Media 60	EVO Media	32"	5 600 €
EVO Media 60 Ultra	EVO Media	43"	6 400 €
EVO Media Square 60	EVO Media	32"	4 900 €
EVO Media Square 60 Ultra	EVO Media	43"	5 800 €
EVO Oval Media 90	EVO Media	32"	4 600 €
EVO Signature	Treatment luminaires	—	3 000 €
Moon EVO	Treatment luminaires	—	1500 €
EVO Ring	Treatment luminaires	—	3 500 €
Hexa Ring	Treatment luminaires	—	2 000 €
Hexa Disc	Treatment luminaires	—	3 000 €
Hexa Curve	Treatment luminaires	—	3 000 €
EVO Slim	Architectural & technical pendants	—	1200 €
EVO Indirect	Architectural & technical pendants	—	3 000 €
Frame Curve	Architectural & technical pendants	—	8 000 €
Flex EVO 360	Architectural & technical pendants	—	3 000 €
Linea Shield	Architectural & technical pendants	—	1000 €
EVO Acoustic	Acoustic	—	1000 €
EVO Cone	Acoustic	—	3 000 €

WARRANTIES

Simple commitments.

5 years

Warranty on all our luminaires — LEDs and drivers included. Over 50,000 hours of service life.

2 years

Warranty on the integrated screens of the EVO Media family — the screen can be replaced without changing the luminaire.

48 h

Precise, free quote within 48 hours, with a zone-by-zone lighting study included for every project.

Europe

Delivery throughout Europe. Optional installation by our partners, or by your electrician using our mounting documentation.

SUPPORT

From your floor plan to installation, in four steps.

I

Analysis

You send us your room dimensions, ceiling height and a photo — or your complete plans.

2

Recommendation

We size the lighting zone by zone according to EN 12464-1 and recommend the right models.

3

Quote

Detailed quote within 48 h: luminaires, options, transport and installation priced in black and white.

4

Installation

Optional installation by our qualified partners, or by your local electrician with our detailed documentation.

EVOLIGHT

The right light, serving the practitioner and the patient.

EVO-MED SARL — 5 Rue de la Guerlande, 71880 Châtenoy-le-Royal, France

evo-light.fr · contact@evo-light.fr · +33 7 84 91 12 58 · Instagram @evolight.fr

EVO-LIGHT.FR